Safety tips For a smarter home



telldus

Electricity tips

- Only for use in wall sockets, do not connect to an extension cord.
- Only connect IPX4-rated connectors.
- The 3680W is an absolute maximum rating. In practice, you shall never go beyond 3000W due to appliance and power line variations.
- Check the appliance you are connecting to the plug, disconnect it from the plug if the appliance is not in good working order.
- Make sure there are working ground pins in the socket where you installed the plug.
- Do not connect motors of over 300W to the plug. Overloading could damage the plug and cause a fire.
- Do not connect heater with fan of over 2000W to the plug. Overloading could damage the plug and cause a fire.

- If the plug fit loosely in a socket, do not use that socket. A poor electrical contact between the plug and the socket could result in a fire.
- Only use the plug with 230V AC power.

Caring tips

- Do not drop the plug. It is delicate.
- Do not use the plug if it has visible damages, discolouring or deformation.
 Dispose of it responsibly.
- Do not use the plug if it has audible sound like something has broken free inside. Dispose of it responsibly.
- Do not use the plug if it is not working normally, emitting strange noise, getting too hot, or giving out strange smell.
- Do not expose the plug in direct sun light.
- Clean the plug using only dry, lint free cloth. Do not use any chemical cleaning agent or water to clean it.

Life saving tips

- Do not install, uninstall or operate the plug with wet body parts, such as wet fingers, to prevent electric shock.
- Do not submerge part or the whole plug under water.
- Do not overload the plug.
- Do not disassemble or temper the plug in any way. There is no user serviceable parts inside.
- Keep the plug out of reach of small children. It is not a toy.
- Do not touch or go near the plug if there is a lightning close by.

Environmental tips

- Do not subject the plug to rapid temperature changes especially in a humid environment.
- Only use the plug within the specified temperature and humidity range, which is 0°C - 35°C and below 75% relative humidity.
- Do not expose or use the plug in places of altitude higher than 2 km or above.
- Make sure there is ventilations around the plug, do not hide it in a tight enclosed area where there is no air flow.
- Keep the surrounding of the plug clean and free of dust, hair, lint, or any kind of flammable materials.
- Do not install, uninstall, or use the plug in a dusty environment or in any place where there is a lot of fine particles in the air.
- Remove the plug from the socket if there is a lightning on its way.



Proove Distribution AB Birger Svensson Väg 34 B, 432 40 Varberg, Sweden

www.telldus.com support.telldus.com

telldus